Olisferrol® [Braunmycin]

Once Daily Anti-Cancer: Anti-Infection Blood Supplement . Promotes wellness

STRUCTURE AND FORMULA:

Registry Name:1958040-35-1
Effective Dose (ED)
Scientific and Technical Information Network (STN)
Chemical Name (CN): Olisferrol
Molecular Formula (mf): $C_{120}H_{171}Fe_4N_{29}S_4$
Exact Mass: 3521.29
Molecular Weight 3523.44
Manufacturer (MAN): Olisa Corporation, USA
Generic/ Related Structure (GRS): Braunmycin

L-.alpha.-aspartyl-L-.alpha.-aspartyl-L.-alpha.-glutamyl-L-.alpha.-glutamyl-L-.alpha.-aspartyl-L.alpha.-glutamyl-L-.alpha.-aspartyl-L-threonylglycyl-L-.alpha.-glutamyl-L-threonyl-L.alpha.-glutamyl-L-methionyl-L-threonyl-L-*cysteinyl*-L.alpha.-aspartyl-L.alpha.-aspartyl-L-methionylglycyl-L-.alpha.-glutamyl-L-seryl-L-.alpha.-aspartyl-L-*cysteinyl*-L.alpha.-glutamyl-L-.alpha.-aspartyl-L-.alpha.-glutamyl-L.alpha-glutamyl-L.alpha.-aspartyl-, iron (2+) complexes

Formula derived from an organic extract in Echinacea root using Computational Biology techniques. For more information on drug discovery see https://www.doi.org/10.64809/a08111317

WHAT IS OLISFERROL® [ORGANIC] ?

Olisferrol ® [organic] is an ORGANIC ADJUVANT THERAPEUTIC containing an ORGANIC root extract with natural quantities of a L-Aspartic Acid Reductase (Braunmycin). Dietary iron and mineral oil were added to create an emulsion. Organic extracts are derived from herbs like Echinacea and Goldenseal root. Olisferrol® is 100% natural . Also, Olisferrol is an organic (NATURAL) vitamin supplement and scientifically proven to restore normal reference levels of macrophages, interferon (alpha), and tumor necrotic factor (TNF) elevations caused by some cancers and sepsis toxins by dismantling minerals associated with their pathology to induce ferroptosis in cancer cells.]. Olisferrol is not intended to cure; diagnose or treat disease.

CLINICAL TRIALS SUMMARY:

When administered properly Olisferrol ® is safe and effective. This summary comes from a patient packet insert and contains information and instructions for people receiving Olisferrol® [organic] or their caregiver. The summary does not tell everything about Olisferrol® [organic]. Discuss questions you may have with your doctor. During phases I and II, the following summary was developed after monitoring and evaluating 950 Olisferrol [Braunmycin] patents for seven years. Process is regulated by Macrophages and Dendritic cells. To make sure Olisferrol® [organic] is working the doctor will ask patient to have blood tests to assay reference levels for macrophages, interferon (alpha) and tumor necrotic factors.

WHAT IS OLISFERROL® [ORGANIC] USED FOR ?

Braunmycin induces macrophages in the body to secrete antineoplastic cells like Tumor Necrotic Factors, (TNF) and Interferons. The process is regulated by Macrophages and dendritic cells. Single 570-mg capsule Olisferrol ® [organic] contains 500-mcg Braunmycin and can be taken ONCE DAILY prophylactically 2-3 hours before, or after meals to promote wellness. Two capsules can be taken therapeutically as needed to stimulate body cells to produce Tumor Necrotic Factors [TNF] and interferon's which can reduce duration and severity of Flu-like symptoms, fever and malaise associated with infections like Catarrh, Malaria, Pneumonia, TB and AIDS and some cancers. Cancer patients who receive chemotherapeutics and, or radiation therapy can take Olisferrol ® [organic] once daily prophylactically. Intravenous form of Olisferrol ® is in adjuvant water and contains 5-mg Braunmycin and can be used as an antineoplastic to fight CANCERS fueled by microbes to promote wellness.

WHAT ARE POSSIBLE COMMON SIDE EFFECTS OF OLISFERROL® [ORGANIC] ?

Allergic Reaction. Excessive oral use, or injection of Olisferrol ® [organic] (NAFDAC Reg. No A7-0694L) can cause mild to serious allergic reactions that are visible on the skin. Patients may experience asthma as symptoms. If this happens stop taking capsules or injections and call your doctor. Normal Fever: 30% of people that take Olisferrol® daily have reported experiencing increases in body temperature ranging between 99°F to 101°F lasting 24-48 hrs. as a onetime experience 3- 10 days after starting their doses of Olisferrol ® [organic] . If you experience fever greater than 102 ° F lasting over 72 hrs. stop taken Olisferrol ® [organic] and contact your doctor. Skin Abscesses: 2% of patients who take Olisferrol® reported experiencing skin abscesses within 3– 7 days. Olisferrol® elevates phagocytic activities of Macrophages that can result in 1-2 skin abscesses lasting 7 to 10 days. If you experience more than 3 skin abscesses that persist over 12 days please stop taken Olisferrol® and contact your doctor .

HOW IS OLISFERROL® [ORGANIC] ADMINISTERED?

One capsule can be administered orally once daily prophylactically as a dietary supplement for wellness. Two capsules can be taken therapeutically as needed . Olisferrol ® in adjuvant water can be administered intravenously as a one-time treatment and followed up with supplemental treatments of Olisferrol® [organic] capsules. Please ask your doctor if the I.V. is right for you.

HOW DOES OLISFERROL® [ORGANIC] WORK ?

Olisferrol ® [organic] increases anti-infection content in blood-plasma. Specifically, induces macrophages and dendritic cells into producing Tumor Necrotic Factors (TNF) and Interferon's.

WHO CAN TAKE OLISFERROL® [ORGANIC] ? WHAT ABOUT PREGNACY AND BREAST FEEDING ?

Pregnant mothers and INFANTS LESS THAN ONE YEAR SHOULD AVOID taking Olisferrol® [organic]. One daily capsule is safe for adults, breast feeding mothers, infants and children older than one year. Brest feeding mothers can transfer homeopathic benefits to their infants. Individuals with UNCHARACTERIZED autoimmune disease SHOULD AVOID taken Olisferrol® [organic]. However, interferons and TNF stimulated by Olisferrol® [organic] are NOT KNOWN to aggravate pathology of Systemic lupus or endo- carditis. If you suffer from Endocarditis or Systemic lupus consult your doctor and ask if Olisferrol ® [organic] is right for you.

HOW SHOULD OLISFERROL® [ORGANIC] BE STORED ?

Store capsules AND IV at room temperature (15°C - 37°C). Capsules are best taken 2-3 years from the manufacture date.. I.V. contains enzymes and has a shelf life of 3 weeks.

IMPORTANT INFORMATION ABOUT OLISFERROL® [ORGANIC]

Olisferrol ® [organic] (NAFDAC Reg. No A7-0694L) is an herbal supplement. Therapeutics with herbal and dietary content have been US-FDA approved for various formats and claims. Research to develop Olisferrol ® [organic] was ably assisted with information provided by US Government Human Genome Project. Clinical and Animal studies show molecules in Olisferrol ® [organic] can reduce the risk of infection and the aggression of neoplastic cells but will not reduce all infection. If infection persists after taking Olisferrol® tell your doctor immediately. Low doses of Olisferrol® can be taken as a supplement and will not require pre- scription. Higher doses can be administered by a physician in an I.V. containing normal saline. If you have any questions talk to a doctor. Concepts used to synthesize Olisferrol ® are protected by US Patent 7,244,702 B2,and US Library on Congress Copyrights TXu 1-100-385. Users of Olisferrol ® [organic] are encouraged to discuss their experiences with US-FDA.

INQUIRIES

USA +1 (202) 855 3479-
NIGERIA: +234 808 3223844-
Email: info@olisferrol.com
Distributed globally by: The Olisa Foundation., [RC33553].
Mail: P.M.B 663 Garki Area 10 Abuja, FCT, Nigeria
Location: 1 Moshood Abiola Way PMB 663 Garki Abuja FCT
Manufacture: Olisa Corporation, USA
7362 Remcon Cir
STE 644 El Paso Texas 79912
Correspondence: 3601 Pickett Road Unit 2121
Fairfax Virginia 22031 USA

Olisa Corporation, USA

IMPORTANT NOTICE . PLEASE READ !!
DO NOT TAKE OLISFERRO ; AND SEE A PHYSICIAN IF YOU HAVE IF YOU HAVE THE FOLLOWING CONDITIONS:

- Shortness of breath.
- Pregnant.
- Uncharacterized Auto =immune Disease

CAPSULE COMPOSITION FOR ORAL (OTC) DOSING:

Ferrous Sulphate 270355 USP
Echinacea Purpurea Root - 2018-02-01 USP

INTRAVENOUSE COMPOSITION FOR PARENTERAL (PRESCRIPTION) DOSING:
0.9% Normal Saline
Ferrous Sulphate 1270355 USP
L-Aspartic Acid 1043819 USP

UNIQUE IDENTIFIERS
US Patent 7244702 B2
US Copyright TXu1100 385; TXu0006895
US Trademark 2,903,208
NIGERIAN Trademark No. NG/TM/2009/7355
NAFDAC Reg. No. A7-0694L
CAS Reg. No. 1958040-35-1

INDICATION FOR PROPHYLACTIC USAGE AND DOSAGE

for natural replenishment of anti-infective and anti-cancer blood plasma proteins [interferons].

Once daily (oral): 3hrs before and 3hrs after meals.

- Total Enzyme Activity (70-IU)
- Fever and Malaise
- Malaria
- Pneumonia
- Tuberculosis (TB)
- Influenza; Corona-Like Viruses
- Catarrh
- Sleeping Sickness (trypanosomiasis)

Once weekly (Intravenous) prophylaxis for the following:

- Total Enzyme Activity: (5000-IU)
- HIV / HPV associated Cervical Cancer
- HIV / HHV-8 associated Kaposi Sarcoma
- HIV / EBV associated Non-Hodkins Lymphoma, Hodgkins Lymphoma

Veterinary Use:

- Bovine Tuberculosis

SCAN ME